

GERMAN STANDARD ELECTRIC PRODUCTS

www.polypool.it











TABLE OF CONTENTS

- 1. Plugs
- **3.** Sockets
- 4. Adapters
- **6.** Multiple sockets
- **9.** Extension cords
- **12.** Garden extension cords and accessories
- **14.** Cable reels









16A 2P+E (French/German plug with side ground), 90° cable outlet, ON/OFF switch.







16A 2P+E (French/German plug with side ground), 90° cable outlet.





16A 2P+E (French/German standard with side ground) 250V~ axial cable outlet, IP44.



6pcs



SOCKETS





16A 2P+E German standard socket with side ground, axial cable outlet























250V~ with 3 multi-standard 10/16A 2P+E sockets, Italian standard 10/16A and German standard 16A (with side ground), 5cm H05VV-F 3X1mm² cable with 16A plug (French/German standard) 2P+E, 90° cable outlet, light switch.

PP0536.05XL

10pcs



250V~ with 4 multi-standard 10/16A 2P+E, Italian standard 10/16A and German standard 16A (with side ground), 1,5m H05VV-F 3X1mm² cable with standard French/German 16A 2P+E plug, 90° cable outlet, lighted switch.

PP2507XL

10pcs



250V~ with 4 standard French/German 16A 2P+E sockets (side ground), 1,5m H07RN-F 3X1,5mm² cable with German standard 16A 2P+E plug, 90° cable outlet, lighted switch. IP44

PP2508

6pcs



250V~ with 5 German standard 16A 2P+E outlets, 1,5m cable H05VV-F 3X1,5mm² with plug 16A 2P+E (French/German standard), 90° cable outlet, ON/OFF light switch.



EXTENSION CORDS

Sm	with europlug 90° cable europlug socketPower: 2 with 3m H05VVVH2-F cable.	2.5A 250V~,	NEW 12pcs
Sm	with europlug 90° cable europlug socketPower: 2 with 5m H05VVVH2-F cable.	2.5A 250V~,	NEW 12pcs
Sm	250V~ with 5m of H05 10A 2P plug and socket.		mm² cable,



250V~ with 5m of H05VVH2-F 2x0.75mm² cable, 10A 2P plug and socket.



6pcs





250V~ with 3m H05VV-F 3x1.5mm² cable, French/ German standard 16A 2P+E plug and multistandard 10/16A 2P+E socket, standard Italian 10/16A and German 16A (with side ground).

PP2623QB

6pcs



250V~ with 3m H05VV-F 3x1.5mm² cable, French/ German standard 16A 2P+E plug and multistandard 10/16A 2P+E socket, Italian standard 10/16A and German 16A (with side ground).

PP2623.1QB

6pcs



250V~ with 5m H05VV-F 3x1.5mm² cable, French/ German standard 16A 2P+E plug and multistandard 10/16A 2P+E socket, Italian standard 10/16A and German 16A (with side ground).



6pcs



250V~ with 5m H05VV-F 3x1.5mm² cable, French/ German standard 16A 2P+E plug and multistandard 10/16A 2P+E socket, Italian standard 10/16A and German 16A (with side ground).

PP2624.1QB

6pcs



3x1.5mm² H07RN-F wear-resistant rubber cable, French/German standard 16A 2P+E plug and German standard 16A 2P+E socket, side ground, 250V~, 5m. IP44







GARDEN EXTENSION CORDS and accessories



extension cord 250V~ with 15m H05VV-F 2x1.5mm² cable, German standard 16A 2P plug and socket.

PP2631

6pcs



outdoor protection box IP54 (dust and splash protection). Equipped with five outlets and locking hook.

PP2605

1pcs



waterproof shell IP44 for plug-socket junction protection. Equipped with locking device.

PP2600

6pcs



winding roller for wrapping, carrying and arranging cables, electrical extension cords, ropes, hoses, etc. Made of technopolymer. Suitable for extension cords up to 30m.





holder for wrapping, carrying and arranging cable, electrical extension cords, cords, hoses, etc. Made of technoplymer. Suitable for extension cords up to 40m.





CABLE REELS



230V~ "mini" series for lawn mowers or similar with 25m H05VV-F 2x1.5mm² cable, 16A 2P+E plug, 16A 2P+E mobile socket (German standard with side ground), thermal circuit breaker.







230V~ "mini" series for lawn mowers or similar with 15m H05VV-F 2x1.5mm² cable, 16A 2P plug, 16A 2P mobile socket (German standard), thermal circuit breaker. Galvanized steel support stand. Technopolymer cable.

PP2702

1pcs



230V~ "mini HEAVY DUTY" series, 15m cable H05RR-F 3x1.5mm², plug 16A 2P+E Franco/ German standard, 1 socket 16A 2P+E German standard. Flexible H05RR-F cable (rubber insulated) suitable for temporary outdoor use. IP44





230V~ "mini HEAVY DUTY" series, 28m cable H05RR-F 3x1.5mm², plug 16A 2P+E Franco/ German standard, 1 socket 16A 2P+E German standard. Flexible H05RR-F cable (rubber insulated) suitable for temporary outdoor use. IP44







www.polypool.it